

# Package ‘plotor’

June 18, 2024

**Type** Package

**Title** Produces an Odds Ratio Plot from a Logistic Regression Model

**Version** 0.4.1

**Maintainer** Craig Parylo <craig.parylo2@nhs.net>

**Description** Produces an Odds Ratio (OR) Plot to visualise the result of a logistic regression analysis. Provide it with a binomial regression model produced by 'glm()' and it will convert the estimates to odds ratios with a 95% confidence interval and plot the results using 'ggplot2'.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Imports** broom, dplyr, ggplot2, glue, purrr, scales, stats, tidyselect

**RoxygenNote** 7.3.1

**Suggests** datasets, forcats, knitr, labelled, rmarkdown, testthat (>= 3.0.0), tidyr

**VignetteBuilder** knitr

**URL** <https://github.com/craig-parylo/plotor>,  
<https://craig-parylo.github.io/plotor/>

**BugReports** <https://github.com/craig-parylo/plotor/issues>

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Craig Parylo [aut, cre, cph] (<<https://orcid.org/0000-0003-4297-7808>>)

**Repository** CRAN

**Date/Publication** 2024-06-18 13:40:02 UTC

## Contents

plot_or . . . . .	2
<b>Index</b>	<b>4</b>

---

`plot_or`*Plot OR*

---

**Description**

Produces an Odds Ratio plot to visualise the results of a logistic regression analysis.

**Usage**

```
plot_or(glm_model_results)
```

**Arguments**

`glm_model_results`

Results from a binomial Generalised Linear Model (GLM), as produced by `stats::glm()`.

**Value**

plotor returns an object of class `gg` and `ggplot`

**See Also**

See vignette('using\_plotor', package = 'plotor') for more details on use.

More details and examples are found on the website: <https://craig-parylo.github.io/plotor/index.html>

**Examples**

```
# libraries
library(plotor)
library(datasets)
library(dplyr)
library(ggplot2)
library(stats)
library(forcats)
library(tidyr)

# get some data
df <- datasets::Titanic |>
  as_tibble() |>
  # convert aggregated counts to individual observations
  filter(n > 0) |>
  uncount(weights = n) |>
  # convert character variables to factors
  mutate(across(where(is.character), as.factor))

# perform logistic regression using `glm`
lr <- glm(
```

*plot\_or*

3

```
data = df,  
family = 'binomial',  
formula = Survived ~ Class + Sex + Age  
)  
  
# produce the Odds Ratio plot  
plot_or(lr)
```

# Index

`plot_or`, 2

`stats::glm()`, 2