

Package ‘clusteredinterference’

October 12, 2022

Type Package

Date 2019-03-16

Title Causal Effects from Observational Studies with Clustered Interference

Version 1.0.1

Author Brian G. Barkley [aut, cre] (<<https://orcid.org/0000-0003-1787-4735>>),
Bradley Saul [ctb]

Maintainer Brian G. Barkley <BarkleyBG@outlook.com>

Description Estimating causal effects from observational studies assuming clustered (or partial) interference. These inverse probability-weighted estimators target new estimands arising from population-level treatment policies. The estimands and estimators are introduced in Barkley et al. (2017) <[arXiv:1711.04834](https://arxiv.org/abs/1711.04834)>.

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 6.1.0

Depends R (>= 3.2)

Imports Formula (>= 1.1-2), cubature (>= 1.1-2), lme4 (>= 1.1-10),
numDeriv (>= 2014.2-1), rootSolve (>= 1.6.6)

Suggests testthat, rprojroot, knitr, rmarkdown, covr

VignetteBuilder knitr

URL <http://github.com/BarkleyBG/clusteredinterference>

BugReports <http://github.com/BarkleyBG/clusteredinterference/issues>

NeedsCompilation no

Repository CRAN

Date/Publication 2019-03-18 00:03:30 UTC

R topics documented:

clusteredinterference	2
makeTargetGrid	2
policyFX	3
print.policyFX	5
summary.policyFX	5
toy_data	6
Index	7

clusteredinterference *Draw Causal Inference from Observational Studies with Clustered Interference*

Description

clusteredinterference implements the estimators from Barkley et al. (2017) *Causal Inference from Observational Studies with Clustered Interference* <arXiv:1711.04834>. These are inverse probability of treatment-weighted estimators for estimating the causal effects on outcomes of population-level treatment policies.

Details

These estimators are implemented in one function, `policyFX`. A healthy amount of documentation can be found in the vignette included in this package: `vignette("estimate-policyFX")`.

makeTargetGrid *Creates the grid of all estimands to estimate.*

Description

Creates the grid of all estimands to estimate.

Usage

```
makeTargetGrid(alphas, small_grid = FALSE)
```

Arguments

alphas	A numeric vector for the probabilities corresponding to the policies of interest. Each entry must be between 0 and 1.
small_grid	if TRUE then only estimates some policies. Default is FALSE.

policyFX	<i>Estimate Causal Effects of Population Treatment Policies Assuming Clustered Interference</i>
----------	---

Description

This function implements the estimators from Barkley et al. (2017) for estimating causal effects ("*FX*") of treatment policies from an observational study when **clustered interference** is assumed. Clustered interference is also often known as "partial" interference. For the manuscript introducing the methods in **clusteredinterference**, see: URL <https://arxiv.org/abs/1711.04834>

Usage

```
policyFX(data, formula, alphas, k_samps = NULL, ..., verbose = FALSE,
         root_options = NULL, nAGQ = 2, return_matrices = FALSE)
```

Arguments

data	A <code>data.frame</code> (not a tibble). Columns of factor types are not recommended and will sometimes throw (defensive) errors.
formula	The formula defines the different components of the method. The components are specified by <code>outcome treatment ~ f(covariates) + (1 cluster_id) cluster_id</code> . The middle component is passed to <code>glmer</code> , so <code>treatment ~ f(covariates) + (1 cluster_id)</code> specifies the model form for the propensity score (i.e., treatment) model. See Details.
alphas	A numeric vector for the probabilities corresponding to the policies of interest. Each entry must be between 0 and 1.
k_samps	The maximum number of vectors to evaluate to estimate the counterfactual probabilities (i.e., $\omega(A, N, \alpha)$). Setting to 0 avoids approximation at the cost of increased computation time. Recommended to set ≤ 5 .
...	The dots argument. The user may supply their own <code>target_grid</code> through the dots argument. The <code>target_grid</code> can be made through exported function <code>makeTargetGrid</code>
verbose	A Boolean on whether to print output to <code>stderr</code> . Defaults to <code>FALSE</code> .
root_options	These are passed to <code>multiroot</code> function.
nAGQ	This is the number of Adaptive Gaussian Quadrature points used in the <code>glmer</code> model fitting computation. Defaults to 2. It is recommended to use more than 1.
return_matrices	A Boolean on whether to return the "bread" and "meat" matrices in the sandwich variance. Defaults to <code>FALSE</code> .

Details

These estimators are based on inverse probability-weighting by the propensity score for treatment (IPW) to estimate causal effects of counterfactual policies of interest (i.e., "policy effects") when clustered interference is assumed. The policies of interest correspond to counterfactual scenarios in which treatment may be correlated within clusters.

This method estimates causal contrasts of these policies by estimating the counterfactual treatment probabilities; taking the correlation structures into account requires heavy computational resources, so the user should be patient.

The modeling formula for the propensity score (i.e., treatment) model is specified via the formula formal argument. An example of a model logit-linear fixed effects would be $Y | A \sim X1 + X2 + (1 | cluster_ID) | cluster_ID$. A similar model that also includes an interaction term is $Y | A \sim X1 + X2 + X1:X2 + (1 | cluster_ID) | cluster_ID$.

Value

A list object including:

1. `estimates`: A tidy data frame with columns `estimand`, `estimate`, `var`, `se`, `LCI` and `UCI` for 95% CIs, and more information.
2. `parameters`: An untidy list of the point estimates of all (target and nuisance) parameters.
3. `variance_matrices`: When `return_matrices` is TRUE this is a list object for the "bread" and "meat" matrices in the sandwich variance calculations for each estimand. Otherwise, it is a list object with length 0.
4. `propensity_scores`: The estimated propensity scores for each cluster.
5. `model`: The treatment model object.
6. `formula`: The full formula argument provided, after coercion to a `Formula` object

Author(s)

Brian G. Barkley, <BarkleyBG@unc.edu>.

Some of the plumbing functions for estimating the sandwich variance matrix were adapted from Bradley Saul's **geex** package.

Some of the plumbing functions for the logistic mixed model likelihood were adapted from Bradley Saul's **inference** package.

Brian G. Barkley

References

Barkley, B. G., Hudgens, M. G., Clemens, J. D., Ali, M., and Emch, M. E. (2017). Causal Inference from Observational Studies with Clustered Interference. *arXiv preprint arXiv:1711.04834*. (URL: <https://arxiv.org/abs/1711.04834>.)

Bradley C Saul and Michael G Hudgens (2017). A Recipe for inference: Start with Causal Inference. Add Interference. Mix Well with R. *Journal of Statistical Software* **82**(2), pp. 1-21. doi: <10.18637/jss.v082.i02> (URL: <http://doi.org/10.18637/jss.v082.i02>). <https://cran.r-project.org/package=inference>. <https://github.com/bsaul/inference>.

Bradley Saul (2017). **geex**: An API for M-Estimation. <https://cran.r-project.org/package=geex>. <https://github.com/bsaul/geex>.

See Also

Please see the main package vignette at `vignette("estimate-policyFX")`. It describes the necessary arguments, as well as some extra functionality.

Examples

```
## Not run:
toy_data <- clusteredinterference::toy_data
causal_fx <- policyFX(
  data = toy_data,
  formula = Outcome | Treatment ~ Age + Distance + (1 | Cluster_ID) | Cluster_ID,
  alphas = c(.3, .5),
  k_samps = 1,
  verbose = FALSE
)
## End(Not run)
```

print.policyFX	<i>Prints a summary of the estimates from a policyFX object</i>
----------------	---

Description

Prints a summary of the estimates from a policyFX object

Usage

```
## S3 method for class 'policyFX'
print(x, ...)
```

Arguments

x	object of class "policyFX"
...	User may specify integer nrows.

summary.policyFX	<i>Prints a summary of a policyFX object</i>
------------------	--

Description

Prints a summary of a policyFX object

Usage

```
## S3 method for class 'policyFX'
summary(object, ...)
```

Arguments

object object of class "policyFX"
... User may specify integer nrows.

Author(s)

Brian G. Barkley

toy_data *A "toy" dataset for illustrating the estimator*

Description

A dataset containing simulated data for outcome, treatment status, cluster membership, and two pretreatment covariates. There are 22 clusters that have 3 individuals each, and 8 clusters that have 4 individuals each.

Usage

toy_data

Format

A data frame with 98 rows and 5 variables:

Outcome Individual outcome status observed at the end of follow-up. E.g., infection status

Treatment Individual treatment status observed at the end of follow-up. E.g., vaccination status

Cluster_ID Unique identifier for the cluster of which the individual is a member

Age Individual's age, in years

Distance Individual's distance to river, in kilometers

Index

* datasets

toy_data, [6](#)

clusteredinterference, [2](#)

clusteredinterference-package
(clusteredinterference), [2](#)

Formula, [4](#)

glmer, [3](#)

makeTargetGrid, [2](#), [3](#)

multiroot, [3](#)

policyFX, [2](#), [3](#)

print.policyFX, [5](#)

summary.policyFX, [5](#)

toy_data, [6](#)